

I N D E X TO THE SUBSIDIARY RULES

A

Subject	Rule No.
Absolute Block System	
-is in force on the E. Co. Railway	... 7.01.01
Accident (s) –	
Classification of-detailed instructions given	... 6.01.01
Reporting of-	... 6.01.01
Sending of advice of-	... 6.05.01
Acknowledgement of Rules by Fog Signalmen	... 3.64.07 part - I
Advanced Starter Signal –	
Taking ‘off’ of an-to despatch a train	... 3.36.03 (d) 3.36.04 (b) (i) (ii), (c) & 3.42.01-04
Alarm Chain(s)–	
Duty of Loco Pilot when an-is pulled	... 4.18.01 (a)
Duty of Guard & Ticket checking staff when an- is pulled,	... 4.18.01 (a), (b), (c)
Disconnection of -	... 4.18.02
Assurance Register–	
To be maintained at station to record decla- rations from staff concerned with train passing duty.	... 5.01.02
Assistant Guard(s) -	
Equipment of -	... 4.19.01(e)
- not to leave station without permission of the station master.	... 4.60.01
when - are to conduct shunting operation.	... 5.14.05
Attaching–	
Of vehicles at stations with steep gradients	... 5.20.01 (b)
Authorised Officers	... 1.02(5).01
Automatic Block System –	
Loco Pilots/Asstt Loco Pilots duty when- signal is ‘on’ and flickering/ bobbing.	... 9.02.01-02 9.07.01-02
Guard/Loco Pilot working-Signalling to be examined every six months.	... 4.25.04
Loco Pilot’s duty in-if finds failure of an Automatic Stop Signal	... 9.11.01-04
Sections worked on-	... 7.01.01 (iii)
Procedure of working in-during failure of all or series of signal fast for some time	... 9.12.01-02

Subject	Rule No.
Procedure when semi automatic stop signal is defective in- ...	9.14.01-02
Procedure for working trains under - during suspension when direction of traffic can't be established but line clear can be obtained from the block station in advanced by one of the means ...	9.12.07
Rules and regulations for working of trains on the obstructed line in - ...	9.12.08
Working of trains under - (D/L) during obstruction of one line when signals are operative and communications are available. ...	9.12.03
Working of trains under - (D/L) during failure of the means of communications when signals are operative. ...	9.12.05
Procedure for working of trains under - during suspension of the panel working and when no means of communications are available. ...	9.12.06

B

Banking Engine—

Loco Pilot of the-in the rear of a train to arrange protection of-the rear portion of a parted train ...	6.08.01
--	---------

Banner flags—

—equipment of every gang employed in his length ...	15.12.01
—placing in case of ordinary and heavy maintenance work in busy yards ...	15.08.10

Block –

- Ing the line ...	15.08.01-10
Admission of a train on a - ed line ...	5.09.01

Block Section(s)—

– commencement ...	1.02(10).01
– commencement of-at C class station ...	1.02(10).01
– end of ...	1.02(10).01
- limit board ...	3.32.01

Brake-van—

Attaching of vehicles behind rear— ...	4.24.01
– equipment of trains carrying passengers ...	4.19.02
Running of train without brake-van ...	4.23.01-02

Subject	Rule No.
Brake-van Side Lamp(s) –	
Reversal of a-when the train is shunted for another train to pass	... 4.15.02
Break-Down –	
Sending of advice of –	... 6.05.01
C	
Cabin(s) –	
Duties of officials in charge of-in connection with trains passing through	... 4.42.02
Railway servant operating points & signals in the - shall not leave his duty without being relieved.	... 3.51.01
Care –	
-of loose Permanent Way materials of timber sleepers.	... 15.03.01 ... 15.03.02
Carriage and Wagon Fittings (Materials)–	
Care of -	... 15.03.03
Caution Orders–	
Issue of–	... 4.09.03
Writting out of–	... 4.09.04
Service of -	... 4.09.05
Divisional -	... 4.09.01
Preservation of -	... 4.09.10
Record of -	... 4.09.09
Method of notifying/cancellation of special-	... 4.09.08
Certificates–	
–of competency for points and signals	... 3.39.08
- of competency for working panel/RRI/SSI	... 3.39.08
- of competency for operating electrical block instrument.	... 14.04.01
- of competency to work independently at level crossing.	... 16.01.01
- of competency of Loco Pilots for working in a section.	... 3.78.01
- of competency to work trains on section having automatic block system of working issued to Loco Pilots.	... 3.78.02
- of competency to move any electric rolling stock.	... 4.22.02
- of competency for operating isolator switch issued to Guard.	... 17.04.09
Closure–	
Putting a-on-track	... 15.17.04

Subject	Rule No.
Committee–	
– for sighting new signals	... 3.26.01
Control Key(s)–	
Custody of–	... 3.39.06
Controller-	
Specials precautions by -, TPC, SM & Train Crew in case of defective OHE.	... 17.09.01
Coupling and Uncoupling	
– of engines to and from trains.	... 4.32.01
– of wagons for shunting purposes	... 5.14.06
Cranes –	
Working of -	... 4.27.02
Operating instructions of 120T & 140T-	... 4.27.04
Crew-	
- of the train detained to watch the reception signals in case of crossing and despatch signals in case of precedence.	... 4.58.03
D	
Danger Signal–	
– supersedes all other signals	... 3.56.02
Defective Permanent Way-	
Reporting of –	... 2.1 1.01 - 02 & 6.07.01-03
Defective -	
Working of - level crossing gate.	... 16.06.01-06
Departure -	
- of a train from a non signalled line.	... 5.11.01
- of a train from a line having common departure signal.	... 5.12.01
Detaching–	
– of vehicles	... 5.14.02
– of vehicles at stations having steep gradients.	... 5.20.01 (b)
DRM to incorporate in the WTT, the sections where detaching of engines are all together prohibited.	... 4.48.02
Detonators–	
Instructions for the supply and use of-at stations	... 3.64.07
Stock of–	... 3.64.01
Placing of-in thick or foggy weather	... 3.61.01
Responsibility of Station Masters, Loco	

Subject	Rule No.
Foreman and Permanent Way Inspectors for testing of—	... 3.64.05
Responsibility of Station Masters, Loco Foreman and Permanent Way Inspectors to see that the use of-is properly understood by the staff.	... 3.64.04
Storage of—	... 3.64.03
To whom-to be supplied	... 3.64.02
Use of—	... 3.64.04
Who to supply-to Guards, Gateman, Loco Pilots and Trackman	... 3.64.02
Station - Register (OPT 124)	... 3.64.07
Disposal/Destruction of time expired -	... 3.64.06
Dimensions—	
Maximum loading—	... 4.28.01
Special cases exceeding prescribed Standard Moving—	... 4.28.01 (c)
Double Headed Trains—	
Assistance of engine crew in -	... 3.84.04
Double Line—	
Introduction of Single line working on - sections.	... 4.06.01 (b), 6.02.01-02
—sections, if a train is to be started from wrong line.	... 6.02.05 (g)

E

Electric -

Means of - al communications instruments in order of preference for obtaining/granting line clear.	... 14.01.01
Applicability of SR to the working of - trains.	... 17.01.01

Electric Repeater—

Out of Order	... 3.23.01
--------------	-------------

Engine (s)—

Banking or double heading by Electric & Diesel -	... 3.84.04
Detaching - from train on steep gradients	... 5.20.01 (b)
Movement of Diesel—	... 3.84.02
No - may pass from Loco limit to Traffic lines or vice - versa unless accompanied by a Traffic Pilotman	... 3.82.01
No - to be moved from Locomotive Yard to traffic Yard or vice-versa unless under	

Subject	Rule No.
orders of Station Master.	... 3.82.01
Special precaution before detaching-from its traffic on Ghat sections or heavy gradients	... 4.48.01
Staff who are permitted to ride on-	... 4.22.01 (a),(b),(c) (d),(e),(f)
Table of - whistles	... 4.50.01
To detach an - from its train in mid-section in case of emergency.	... 6.09.01-02,
Train-returning to the section to bring a portion of train left on line to proceed on T/A 602.	... 6.09.01 (d), 6.09.02
Who to conduct movement of-	... 4.39.02
Who to couple and uncouple-	... 4.32.01
Assistance of - crew in respect of signals.	... 3.83.01
No - shall be turned out from the shed with defective speedometer.	... 4.08.01
Engine Head Lights-	
Changing of -	... 4.14.01 (b),(c)& 4.14.02(c)
Dimming of High Power Electric-	... 4.14.03
Prescribed-	... 4.14.01 (a), (b), (c) 4,14,02 (c)
Engineering Restrictions and Blocks-	
Arranging-	... 15.08.02
Engineering Stop Order-	
Use of-	... 15.09.02 (d)
Equipment(s)-	
- of Cabin operated level crossing gates-	... 16.02.04
-of Loco Pilots	... 4,1 9.01 (b) (c)
-of Guards	... 4.19.01 (a) (d)
- of Brake-van-of trains carrying passengers.	... 4.19.02
- of Keyman -	... 15.12.02
- of every gang -	... 15.12.01
Extra Engine(s) -	
Position of - on train.	... 3.84.01
- of electric locomotive.	... 4.19.03
F	
Fire-	
Vehicle on train being on-	... 6.10.02
Lighting - in carriages.	... 6.10.02 (e)
Sleepers on-	... 6.10.01(b),(c)
- in traction	... 6.10.03
- extinguisher to be used in case of electric-	... 6.10.05

Subject	Rule No.
Fire in Trains–	
Procedure to be observed in cases of-	... 6.10.02 & 6.10.04
Flags (hand-signal)–	
-to be mounted on flag sticks	... 3.52.01
Application of red - in lieu of tail board or unlit tail lamp.	... 4.16.04
Fog -	
Working of trains during - impairing visibility.	... 3.61.01
- Signal post	... 3.61.01
Persistent-	... 3.61.01

G

Gates (Level-Crossing)–	
-normally kept open.	... 16.03.03
Closing of -during thick or foggy weather, heavy rain and dust storms	... 16.03.05
Equipment at manned-	... 16.02.02-03
Lights and indications at-	... 16.03.02
Working of-	... 16.03.01
- stop signal	... 3.34.01
Procedure of passing trains in the event of failure of telecommunication between station and non-interlocked mid-section LC gate.	... 16.03.04
Gatemen–	
Duties of - on noticing any obstruction on line	... 16.07.01-05
No man to perform the duties of a - unless he has been examined and found competent	... 16.10.03
-not to leave gates until received, unless gates are closed and locked.	... 16.10.02
	16.10.01 (i), (ii)
Position of-during passage of trains	... 16.01.02 (a)
Signals by-	... 16.01.02 (a) & 16.04.01
Standard equipment of-	... 16.02.01 (a) (b)
- to water level-crossing before the passage of a passenger train during dry season	... 16.05.01
Testing of - by Permanent Way Inspectors in their knowledge of rules.	... 16.01.01
Duty of - at the LC gate whose normal condition is “closed to road traffic” when opened to road traffic.	... 16.03.06

Subject	Rule No.
Ghatsections–	
Special precaution before detaching engine from train on-	... 4.48.01 & 5.20.01
Goods Vehicles–	
Carriage of passengers in-	... 4.35.03
Guard(s)–	
Loco Pilot's whistle of signal not exchanged by-...	4.50.01
Loco Pilot and-to watch the Outer signal while the train is leaving a station on the single line	... 3.80.02
-s duty if the train has arrived incomplete	... 4.17.01, 4.56.01& 4.56.04
-s duties in connection with shunting	... 5.14.05
-s duty when a train is waiting at the Outer or Home Signal.	... 4.44.01
-s duty when the Loco Pilot signifies his intention to detach his engine.	... 4.57.01
's duty when the train stops without clearing the fouling mark in rear.	... 4.56.01
-s duty at the time of taking over charge of a train.	... 4.34.01 & 4.34.04
How - should apply hand brakes.	... 4.47.01
- responsibility whenever necessary to move a train carrying passengers after it has been brought to a stand at a station.	... 4.59.01
- not to leave station without the permission of the Station Master.	... 4.60.01
- not to start a train until the Station Master has given the permission.	... 4.35.01, 4.35.02 & 4.35.04
Responsibility of - to watch trains passing on adjacent line.	... 4.43.02
-s Starting signal.	... 4.35.02
- to be on the alert for signals and accidental obstructions	... 4.43.02
- to examine brake-van-lamp and brake-van equipments.	... 4.34.02 & 4.34.04
-to learn the road.	... 4.25.03
-to read and sign all Guard's orders before going out with a train.	... 4.30.01
– to see that the train is not overloaded	... 4.34.01
– to test hand brakes of the brake-van	... 4.34.02
-s Train Intact Register.	... 4.17.01

Subject	Rule No.
- to record non-exchange of signals in by station staff T-34 H F	... 4.42.07
- to travel in engine	... 4.25.01
Train to run without -	... 4.25.02
Learning road of -	... 4.25.03
- to have good look out when any vehicle is attached in rear of rear brakevan	... 4.43.01
-to look back after passing LC gate	... 4.43.03
H	
Hand Brakes—	
Application of—on arrival of a train at station	... 4.56.02 & 03
Hand Shunting—	
- on a falling grade of 1 in 260 or over per- mitted in sidings protected against acci- dental escape.	... 5.20.01 (c)
Precaution before commencement of-	... 5.20.01
Hand Signal Lamps-	
Arrangement of red and green slides in-	... 3.52.02 (i)
Red and green slides to be examined by staff using the-	... 3.52.02
Heavy Grades—	
Special precaution before detaching engine from train on-	... 4.48.01
Home Signal(s)—	
Conditions of Taking 'off'-to run on a loop or Goods loop with isolation etc.	... 3.40.02
Condition of taking off - to admit train in goodsloop.	... 3.40.03
Condition of taking 'off' -at interlocked station where points are operated from one place and signal operated from Central cabin.	... 3.38.04
Conditions of taking off-at station provided with Rudimentary interlocking.	... 3,38.05
Procedure of taking 'off' - at non-interlocked station.	... 3.39.02
Conditions for taking off the-for a train without stopping it at the Outer.	
Procedure if – becomes defective and a train has to be admitted from the direction to which the defective-applies	... 3.69.01-06
Hot Axles—	
Vehicles with-	... 4.29.01-03

Subject	Rule No.
I	
Identification Number-	
Use of - in case of partial interruption of electrical communication instrument	... 6.02.06
Indication Boards-	
- to Loco Pilots of outlying facing points-	... 3.35.01
Inspection-	
- of bridges or culverts by JE/SE/SSE(P way)	... 15.04.04
-of Interlocked stations by JE/SE/SSE (Sig)	... 15.04.05
-of Permanent Way by Keymen	... 15.04.01
-of Permanent Way by JE/SE/SSE (P way)	... 15.04.02
-of Inter-communication between Passengers, Guard and Loco Pilot	... 4.18.01
Interlocked-	
Lever collars in cabins at - stations	... 5.04.01
Interlocked Points-	
Correct Adjustment of - by Permanent Way Inspectors and Signal Inspectors-	... 15.04.06
Interlocking Arrangements-	
New-not to be taken over from Engg. Deptt. without the permission of the Divisional Operation manager	... 15.16.04
Interlocking Installations-	
Erection of-at stations and bringing same into use	... 15.16.03
Opening of new-or alteration to existing	... 15.16.06
Intermediate Block Post Signal-	
Duty of Loco Pilot before passing-at 'ON'	... 3.75.01-02
Backing of a train after passing -	... 3.75.04
Working of -	... 3.42.05
Written authority for passing - at 'ON'	... 3.75.03
Interruption-	
-on Automatic Block Signalling section.	... 9.12.04
Partial - of communication	... 6.02.06
Total - of communication on single line	... 6.02.04
Total - of communication on double line	... 6.02.03
Intoxication-	
Railway servants under-	... 2.09.01
Isolator -	
Operation of - switch	... 17.04.15

Subject	Rule No.
J	
JE/SE/SSE (C&W)-	
– 's fit memo, for trains	... 4.31.01
Protection of-'s and staff examining trains	... 4.31.02
Responsibility of-regarding securing of vehicles placed in their sidings	... 4.31.02
-'s responsibility to see that doors of wagons are closed and secured.	... 4.34.03
-to assist Station Master in passing loads in open trucks,	... 4.29.03
-to examine loads in open trucks on trains passing their stations	... 4.29.0
Locking of Points of the -'s siding	... 3.39.05
K	
Keyman-	
Duty of - at the unmanned cabin operated Level crossing	... 16.05.02
Keys-	
Custody of - of all out door switches	... 17.04.13
L	
Lamps-	
Care of hand signal-	... 3.52.02 (ii)
Lampman-	
Direct contact or close proximity to 25 kv live conductor is forbidden to -	... 3.49.02
Last Stop Signal -	
Description of -	... 3.10.01
Last Vehicle Indicator-	
Provision of-	... 4.16.01-04
Duty of S.M in regard to -	... 4.17.01-03
lever Collars-	
-in cabins at interlocked stations.	... 5.04.01
Lighting Fires in Carriages-	
-to be prohibited.	... 6. 1 0.02 (d)
Line-	
Blocking the-	... 15.08.01-10
Load(s)-	
-badly adjusted	... 4.28.03
-in open trucks	... 4.28.03
-on three trucks	... 4.28.02

Subject	Rule No.
Loco Pilot(s)–	
A - must sign appearance book and carefully read all notices.	... 4.30.01
A - must not pass a stop signal that is out of order unless he is piloted.	... 3.80.01 3.81.01
–'s duty before detaching his engine	... 4.57.01
– duty when any points being burst through	... 3.77.03
Duty of the - to avoid adjacent line at rear end being fouled.	... 4.58.01
Duty of the - when a train is waiting at the Outer or Home Signal.	... 4.44.01
Duty of the - when the train stops at a station with its engine not clearing the fouling mark.	... 4.58.02
Equipment of-	... 4.1 9.01 (b) & (c)
– incapacitated between stations	... 4.20.01
– must know the road over which he is required to work.	... 3.78.01 (b)
– must operate minimum trips for learning the road.	... 3.78.01 (a)
– shall sound a warning whistle before moving a train carrying passengers.	... 4.59.01
– not to detach his engine from train (on arrival at an engine - changing or terminal station) until permission has been received from the Station Master, either in person or through Guard or Traffic Pilot man.	... 4.39.02
– not to enter into any disputes with Station Master.	4.39.01
– not to start his train until after receipt of the Guard's signal.	... 4.35.02
– of the leading engine to be in charge of the train on which there is more than one engine.	... 3.84.01
– to be on the alert for signals and accidental obstructions.	... 4.40.01
– to stop train if Guard does not exchange signals where required.	... 4.42.05
– to watch the Outer signal while a train is leaving a station on the Single Line.	... 3.80.02
–to whistle if Outer or Home signal is found 'On'	... 4.44.01
– when to attend	... 4.04.03

Subject	Rule No.
- and Assistant Loco Pilot not to leave engine except as per GR 4.20(3)	... 4.61.01
Duty of - in regard to sighting boards and lowering of pantographs.	... 17.03.03
-to test the brake power of the train while negotiating first available down gradient.	... 4.31.04
Loose Shunting or Fly shunting-	
Definition of and precaution for-	... 5.21.01(b),(c)
-of certain other trucks and vehicles prohibited.	... 5.21.01 (d)
Where - prohibited	... 5.21.01 (c)
Loose Vehicles-	
Loading or unloading of-standing on running line	... 5.19.01
-standing on running lines	... 5.19.01 (a), 5.19.02
Lorries -	
Working of - within station section	... 15.27.05
Protection of a -	... 15.27.09
M	
Machine-	
Working of track maintenance-	... 4.65.01
Manuscript-	
In case of - forms all pages are to be serially numbered, signed & stamped by S.M.	... 5.07.01
Marker-	
Description and indication of 'S'-	... 3.35.01
Description and indication of 'P.H.'-	... 3.31.01
Marshalling-	
- Crane when running on the main line	... 4.27.02
Material Train(s) –	
Arrival notice of a –	... 4.62.02
Authority to proceed to be obtained for– for each trip	... 4.62.05
Cancellation of line Clear Ticket of a –	... 4.62.08
Composition & formation of–	... 4.62.01
Coolies on–	... 4.63.01
Guard in charge of–	... 4.62.04
Guard of–to see that the flap doors of the wagons are closed and secured	... 4.62.04
Permission of Station Master to be obtained for a-to work in block section.	... 4.62.05

Subject	Rule No.
Pushing of-	... 4.62.06
Speed of-	... 4.62.06
Stabling of-at night	... 4.64.01
Working hours of-	... 4.62.03
-working in mid-section	... 4.62.08
-working in mid-section on Double line, if required to return to the station started from it must do so by the proper line	... 4.62.05
Working of-from day to day	... 4.62.02
Working of - between outermost facing point and first stop signal	... 4.62.10
Protection of a -	... 4.62.09
Reception of a -	... 4.62.07
Moving Dimensions-	
Special cases of exceeding standard-	... 4.28.01 (c)
Standard-	... 4.28.01 (a)
N	
Neutral Section-	
Tripping of circuit breakers of locomotives & EMU at -	... 17.07.01
Notice-	
Green-	... 15.08.02
O	
Obstructing-	
- a sand hump or snag dead-end forbidden	... 3.40.01
Obstruction(s)-	
- in the face of an approaching train (at Class B station-Single line)	... 8.09.01-02
Obstruction of Accident-	
Working of trains in case of - to the line	... 6.02.01-02 & 6.02.05
Working of trains in case of-on Automatic Block System Double line.	... 9.12.03-04
One Train Only System-	
Section where trains are worked on - In ECoR	... 13.01.01
Authority to proceed in -	... 13.03.01
Procedure in case of accident or obstruction in -	... 13.04.01
custody of key of telecommunication in Naupada-Gunupur section in -	... 13.04.02
Working in Bobbli - Salu section in-	... 13.04.03

Subject	Rule No.
Operation -	
-of isolator switch	... 17.04.15
Outer Signal(s)-	
Loco Pilot to whistle if-is found 'on'	... 4.44.01
If a Home signal is defective the	
-also to be treated as out of order.	... 3.69.05
-worked up and down is the indication for	
an outgoing train to stop.	... 3.80.02
Condition for taking off -	... 3.41.01
Over Head-	
Definitions of certain terms in - section	... 17.02.01
Duty of JE/SE/SSE (P way) in regard to-	
equipment	... 17.03.01
Defect in - electric equipment	... 17.03.02-03
Permit to work on - electric equipment	... 17.04.01
Traffic & power block required for -	
electric maintenance	... 17.04.02
Emergency power block required for	
attending breakdown of - electric equipment	... 17.04.03
Prearranged power / traffic block for	
maintenance of - electric equipment	... 17.04.04-05
Work of - electric equipment by other than	
authorised person	... 17.04.06
Multiple working parties in - electric	
equipment	... 17.04.07
Work inside Locoshed to attend - electric	
equipment	... 17.04.08
Cancellation of a block by a person to whom	
permit -to-work is issued during the period	
there is no communication with TPC in -	
electric section	... 17.04.10
Fault in - electric equipment	... 17.04.14
Working restriction of crane near - electric	
equipment	... 17.04.17
Overshooting the Platform-	
A passenger train-	... 4.59.01
P	
Pantograph-	
Work on -	... 17.05.01
Lowering of -	... 17.07.02
Patrol-	
DEE to arrange - ing in a section	... 15.05.01, 15.05.03-04

Subject	Rule No.
Organising - ing by JE/SE/SSE (P way), PWM or Gangmate	... 15.05.02
- book	... 15.05.05
Duty of - man	... 15.05.06-07
SM to check - man	... 15.05.08
Equipment of - man	... 15.05.09
Action to be taken by SM when a - man does not turn up within 15 minutes of his scheduled arrival	... 15.05.10
Duty of - man in regard to safety of the line	... 15.05.11
Arrangement of other types of - ing by DEN	... 15.05.12
Responsibility of JE/SE/SSE (P way) in respect of competency of - man	... 15.05.13
Procedure of handing / taking over of new - and signals	... 15.16.05
Passengers—	
Carriage of-in goods vehicles.	... 4.35.04
Passenger Trains-	
-admission into goods yard.	... 3.40.03
(P Way) JE/SE/SSE	
-to peruse Working Time Table	... 4.07.01
Piloting of Trains—	
-Past fixed signal when 'on'	... 3.69.02-06 & 3.70.01-02
Pilot Memo—	
Description and use of-	... 3.69.02 to 06 & 3.70.01 & 02
Point(s)–	
custody of keys of-and siding when not being used	... 3.39.04
Damaged-	... 3.77.01-03
Interlocked-going out of order, procedure of	... 3.77.01 (b)
-giving access to the line of reception of a train must be locked against such access before signals are taken off	... 3.39.01 (a)
Indication to Loco Pilot of-of outlying sidings	... 3.35.01
Keys of non- interlocked-when not actually required to be sent out for use must be in personal custody of the Station Master	... 3.39.04
Keys of facing-to be in the custody of the Station Master during passage of trains	... 3.39.04
Keys of signal locks and Station Master's line lables.	... 3.39.04

Subject	Rule No.
Locking of-Line Lable and Badge System	... 3.39.02
New-not to be taken over from Engineering Department without the permission of Divisional Operating Manager	... 15.16.04
Normal setting and securing of-of Dead End, and other Sidings in Station Yards	... 3.39.07
Normal setting of-at roadside stations	... 3,39.03 (b)
-of Catch sidings and derails not to be passed by Loco Pilot without proper hand signal therefrom unless indicated by fixed signals	... 3.50.01
- of sidings leading into Traffic limits	
securing of	... 3.39.06
Padlocking of-	... 3.39.01 (c)
Procedure when-in station yard are disconnected.	... 3.51.04
Putting in or removing-or crossing	... 15.16.01
Rules to be observed by the Engineering staff when testing, repairing, renewing or installing-and signals.	... 3.51.04
Securing of-of Train Examiner's sidings	... 3.39.05
Setting and locking of-when two trains are to cross	... 3.38.05 (b)
Setting of trailing - for the passage of trains	... 3.47.01
Non-interlocked - to be provided with approved locking apparatus.	... 15.16.02
- in rear in double line & either end in single line are to be set against the blocked line	... 3.51.06
Pointsman-	
Examination of - and issue of Competency certificates by the Transportation Inspector	... 3.39.08
-not to move or reverse points when any wheel or wheels have entered the points	... 3.51.03
-to examine passing trains and exhibit danger signal if any thing is noticed which may endanger the safety of the train	... 3.51.03
-to exhibit danger signals to stop a train entering a wrong line	... 3.51.03
Position-	
-of signal arm and its lever	... 3.36.01
Power -	
Maintenance of log book by traction - controller	... 17.04.11
- block message	... 17.04.12
Protection during - block	... 17.04.16

Subject	Rule No.
Power Blocks-	
Arrangement of-	... 15.08.08
Protection-	
- of Train Examining staff while examining trains	... 4.31.02
R	
Rail-	
Duty of Trackman when a - is found fractured	... 15.17.01-02
working of -dolley	... 15.27.10
Reception -	
- of a train on a non-signalled line	... 5.10.01
- of a train on a obstructed line	... 5.09.01
- of trains at stations on Automatic signalling sections provided with end cabin	... 3.38.02
- of trains at interlocked stations where points & signals are operated from central cabin	... 3.38.03
Relaying-	
Rules for safe working during-	... 15.08.09
Reporting-	
-of abnormal condition of track	... 6.07.01-03
Rules-	
Production of-	... 2.02.01
Supply of copies of-to staff	... 5.06.01
Supply of copies of translations of-to staff	... 5.06.01
Applicability of General and subsidiary-	... 1.01(1).01
Revision of General and subsidiary -	... 1.01(1).02
S	
Safety Chains-	
-how used	... 5.23.01 (d) (i)
Screw Couplings-	
Tightening of-	... 4.26.02
Unused-not to hang down loose	... 4.26.01
Securing-	
- of lashing chains of empty trucks to prevent their working loose.	... 4.28.04
Shunting-	
- rules	... 8.05.01, 8.06.01, 8.08.01, 8.09.01, 8.09.02, 8.11.01, 8.14.01 & 8.15.01
-a train into a siding (pushing)	... 5.14.05
-at stations having steeper Gradient by shunting engines at engine changing	... 5.20.01

Subject	Rule No.
stations	... 5.14.02
Coupling and uncoupling during-	... 4.32.01
Duties of staff in connection with at roadside-	
stations	
-in Dead End Sidings.	... 5.14.04
-over outermost facing points	... 5.14.04
Precautions before commencing-	... 5.14.01
Precautions to be observed when - entire	
train or part of a train	... 5.14.02-03
Protection of - by signals.	... 5.13.01
Special Precaution in-in stormy seasons	... 5.23.01 (d)
Fixed signals which control -	... 5.13.01
- Authority	... 5.13.02
Staffs authorised to supervise -	... 5.13.03
- of engine with vehicles	... 5.13.04
Condition for taking off shunt -	... 5.13.05
Goods yard -	... 5.14.06
Goods shed / transhipment -	... 5.14.07
- Limit Board	... 3.32.01
who are to give shunting -	... 3.56.01
Siding (s)–	
-in station yards, normal setting and secur-	
ing of points of	... 3.39.06
New-not be taken over from Engineering	
Department without the permission of	
Divisional Operations Manager & DCM	... 15.16.04
Securing of points of - leading into traffic	
limits	... 3.39.06
Stopping of train short of catch - controlled by	
a stop signal.	... 3.50.02
Siding Key(s)-	
Loss Of—of station.	... 3.39.07
Signal(s)–	
-by Gatemen	... 16.01.02
Rules to be observed by the Engineering staff	
when testing, repairing, renewing or install-	
ing either interlocked or non-interlocked-	... 3.51.04
Showing of Engineering-	... 15.09.01-05
Signal(s) (Fixed)–	
Action to be taken when-are to be put out	
of order at a station where cabins are under	
control of Station Master	... 3.51.04
Action to be taken when a defective stop-can-	
not kept in the 'on' position	... 3.68.02

Subject	Rule No.
Adjustment of - wires.	... 5.01.03
Committee for sighting of-	... 3.26.01
Conflicting-to be treated as danger signals	... 3.74.01
-Electric repeater out of order	... 3.23.01
Interlocked - mechanism not be interferred with	... 3.68.01
Interlocked-not to be taken 'off' except by the prescribed method.	... 3.68.01
Keys of non-interlocked-when not actually in use must be in personal custody of the Station Master during passage of trains.	... 3.39.04
Procedure for lowering of-at interlocked stations where block instrument are installed in Cabin	... 3.38.01
New - not to be taken over form Engineering Department without the permission of the Divisional Operations Manager	... 15.16.04
Notice to be given by Signal or Engineering Department when-are required to be put out of use	... 3.51.04
Piloting train past-when 'on'	... 3.69.03-06, 3.70.01-02
Procedure when - has become defective and when subsequently repaired	... 3.51.04
Repeating-	... 3.16.01
Replacing-to'on' position	... 3.36.02
When semaphore - should not be tested	... 3.49.01
When-to be taken 'off'	... 3.36.04
Working of-at crossing stations on the single line fitted with Outers only	... 3.41.02
Working of-at crossing stations on the single line fitted with Outers only for stopping a train out of course	... 3.48.01
Working of - at interlocked stations Class B on double line.	... 3.42.01
Working of-when two trains are to cross,	... 3.47.01
Reporting of defects in - by Loco Pilots	... 3.85.01
Exchange of - between Guard & Loco Pilot	... 4.42.01
Train - Register	... 14.07.01
Sequence of lowering at stations for run through trains provided with Advanced starter	... 3.42.02
Sequence of lowering - at a stations for a stopping train	... 3.42.03
The Railway servant operating points & -	

Subject	Rule No.
in the Cabin or at station not to leave his duty without being relieved	... 3.51.01
A - in the off position is the final indication that points are correctly set	... 3.51.02
Procedure of taking off departure - after the train has stopped at the station	... 3.42.04
Failure of - lights where colour light signals are provided	... 3.68.05
Reporting of defects of - by SM	... 3.68.05
Bell - between Loco Pilot & Guard	... 4.51.01
Signals (Hand)-	
Display of-at the foot of a defective signal to continue	... 3.68.02
Exchange of-between Guard and Asst. Guard	... 4.42.04
Use and Maintenance of by men working points	... 3.52.02
Signals (interlocked)-	
Procedure when-governing the movement of a train over facing points cannot be taken off	... 3.68.01 (c) (d)
Rules to be observed by the Engineering staff when testing, repairing, renewing or installing-and points	... 3.51.04
Signal Arm-	
-position to correspond with that of lever working it	... 3.36.01
Signals for shunting-	
Persons authorised to give-	... 3.56.01
Single Line -	
- Working on double line section when one line is obstructed	... 6.02.01
SSE/SE/JE (Sig) -	
-to see that suitable padlocking appliances are provided for interlocked points for use in case of emergency.	... 15.16.02
Signal Lamp(s)-	
Lighting of-	... 3.49.01
Signal Wires-	
Adjustment of-	... 5.01.03
-to be kept clear of obstruction, Permanent Way staff to see to this	... 15.04.03
Sleepers on Fire-	
Procedure of dealing with-	... 6.10.01

Subject	Rule No.
Special Instructions-	
-in case of accident or interruption of communications	... 6.02.01-06
Speed-	
-of trains worked by Assistant Loco Pilot in special emergency.	... 4.20.01
—of trains worked a crane is attached	... 4.27.03
—over defective points secured by clamp or cotter bolted	... 3.77.01 (b)
—over facing points	... 4.10.01-02
	... 4.11.01
- of train in thick foggy and tempestuous weather impairing visibility	... 3.78.03
Stabling-	
-of loose vehicles in sidings.	... 5.23.01 (d)
-of loose vehicles on running lines at station other than engine changing or Junction stations.	... 5.23.01 (d)
Standard Moving Dimensions-	
Special cases for exceeding-	... 4.28.01 (c)
Table of-	... 4.28.01 (a)
Standard Time-	
—checking of by control	... 4.01.01
Starting Signal-	
-how given	... 4.35.01-04
Station(s)-	
Classification of-	... 1.03.01 (b)
Daily inspection of-	... 5.01.03
New-not to be taken over form Engineering Department without the permission of Divisional Operations Manager & DCM	... 15.16.04
Operating of new block-	... 15.16.05
Special class-definition of	... 1.03.01 (a)
Station limits-	
-double line.	... 1.02(52).01
Station Master(s)-	
-’s daily inspection of station	... 5.04.01
Duties of-in connection with loss of records pertaining to the working of trains	... 5.03.01
Duties of-in connection with trains passing through	... 4.42.02
Duty of a-in case of a train running through	... 4.42.02
Duty of a-regarding locking of points.	... 3.39,01

Subject	Rule No.
Duty of-when point, crossing or guard rails are damaged	... 3.77.01 (a)
-to make themselves conversant with the Rules and Notices	... 5.01.01 Part
-responsibility before giving "permission of approach" that no packages unloaded or to be loaded are left foul of any running line	... 5.19.01
-to preserve Rules and Notices	... 5.01.01 Pt.
-to report cases of Loco Pilots raking out ash-pans except over engine pits	... 4.52.03
-to satisfy himself that the incoming train is complete	... 4.17.01 (b)
-to satisfy himself that the incoming train is, complete before sending 'train out of section, report to the station in rear	... 4.17.01
-to see that the staff are competent for their posts.	... 5.01.02 Pt.
-to ensure that Assurance Register is maintained and staff declarations obtained	... 501.02 Pt.
-to test Cabinmen in their knowledge of rules	... 5.01.02
-Working rules copies to be supplied	... 5.06.01
Preparation, revision & issue of - working rules	... 5.06.02
Stop Signal-	
A Loco Pilot must not pass a-that is out of order unless he is piloted	... 380.01
T	
Tail Board-	
Absence of—on the last vehicle during day will imply train incomplete	... 4.16.01
Action to be taken when-is lost;	... 4.17.01
Tail Lamp-	
—on any but the last vehicle must not be alight	... 4.16.01
Tail Lights-	
—of trains	... 4.15.01-03
Time Standard-	
-kept at all stations	... 4.01.01-03
Tower Wagon-	
movement of -	... 17.08.01-03
Track-	
Alteration to - in electrified section	... 17.06.01

Subject	Rule No.
Traffic Train Staff-	
How-should apply hand-brakes	... 4.47.01
Train(s)-	
Admission of a-pushing back into a station	... 4.12.01
Driving an electric -	... 4.21.01
Berthing of Passenger-crossing other trains at station with only one platform	... 3.47.02
- delayed in block section	... 6.04.01
Diasabled-pushed back	... 4.12.01
Dividing of-in mid-section	... 6.09.01
Measures for punctual running of-	... 4.02.01
-moving in the wrong direction	... 4.12.01
No-may run through the station unless running line is isolated	
-parting on road	... 6.08.01 (1)
Passing-to be examined by Pointsmen	... 3.39.02
Piloting of-past fixed signal when 'on'	... 3.69.02-06 & 3.70.01-02
Portion of-left on line	... 6.09.01
Precautions necessary in cases of crossing of-	... 4.47.01
-pushed outside station limits	... 4.12.01, 9.13.01
Punctuality of-	... 4.02.01
Securing of Ballast-when stabled	... 4.64.01
Securing of-stopped is mid-section	... 6.04.02 (d)
Starting, stopping and whistling of-on which there is more than one engine	.. 3.84.02 ... 4.50.01
Starting, stopping and whistling of—on which there is more than one engine on electrified sections	... 3.84.03 & 3.84.05
-stopped between stations (Guard's and Loco Pilot's duty)	... 6.03.01
-stopped between stations and subsequently the Loco Pilot able to restart by pushing back	... 6.04.02 (a) (b) & (c)
Direction of running -	... 4.06.01
working of departmental - in integrated block	... 4.62.11
- in a block section without authority to proceed	... 6.06.01
Retention of - message book	... 14.21.01
Travelling Cranes-	
-at site of accident not to be moved without the consent of the senior loco representative at the spot	... 4.27.01 & 4.27.02

Subject	Rule No.
Rules for working - near or adjacent to overhead equipment	... 17.04.17
Rules for running of - on open line	... 4.27.01 & 02
Trolleys-	
Caution order to Loco Pilots regarding material-working in block section and Loco Pilot's responsibility in connection therewith	... 15.27.08 (c) & (d)
Placing light-	... 15.26.03, 15.28.01, 15.26.06
Placing of material-	... 15.27.08 (e) & (f)
Design and equipment of-	... 15.20.01-02
Joint responsibility for running material-	... 15. 1 8.02
without blocking the line	... 15.26.01
Kinds and description of-	... 15.18.01
Light-running on line clear	... 15.26.07 (a)
Material-and ballast train not to be on a block-section together except under special authority.	... 15.27.08 (g)
Material-brought into use in mid-section	... 15.27.08 (b)
Material-forms A & B	... 15.27.07
Material-to use the blocked road on double line	... 15.27.07 (c)
-not to be propelled by the aid of a sail	... 15.23.01
-not to be pulled	... 15.23.01
Patrol-running of	... 15.26.07 (b)
Persons authorised to be in charge of-	... 15.22.01
Persons who may be conveyed, on motor or light-	... 15.22.06
Persons who may be in charge of material-	... 15.27.04
Precautions to be observed when running light-	... 15.26.01 to 04 ... 15.26.05.
precautions during running of material- with the line not blocked	... 15.27.08(a) to (d)
Red flag or light to be exhibited on - until removed from rails and placed clear of the line	... 15.1 9.01 (a)& (b)
Registration and marking of-	... 15.18.02.
Removal report of material-	... 15.27.07 (f)
Rules for the running of motor-	... 15.25.01 to 09
Running out of heavy material on material-	... 15.27.06 (b)
Running material - with the line blocked	... 15.27.07 (a) to (h)
Running of - an Automatic signalling section	... 15.25.08

Subject	Rule No.
Special precaution. for working material-	... 15.27.01 to 03
Speed of material-	... 15.27.01 to 03
Speed of motor-	... 15.25.04 (a)
Timely removal of material - from line when line is blocked for its working	... 16.27.07 (h)
Time of running for material-	... 15.24.01.
Use of motor-in section blocked for engi- neering purpose	... 15.25.05 to 07
Carriage of a - by a train	... 15.23.02
Keeping a - when it is off the track in station yard	... 15.26.08
Protection of a - when it is on a line	... 15.26.02
Permit to work -	... 15.22.01-04
Conveyance of men by - and material by lorries	... 15.22.06
Officer-in-charge of a trolley	... 15.22.07
Private -	... 15.22.08
Person-in-charge of - to see that brakes are in proper order	... 15.21.01
Distance between trollies	... 15.21.02

V

Vacuum-

When - brake is in use, hand brakes need not be applied	... 4.56.03
--	-------------

Vehicle(s)-

Attaching and detaching of - at stations having steep gradients	... 5.20.01
Attaching of - behind rear brake-van	... 4.24.01.
-escaping from a station	... 6.11.01.
Leaving - in sidings outside station limits	... 5.22.01
-pronounced unsafe to run by the Carriage and Wagon staff, not to be allowed to proceed on any train	... 4.29.04
Securing of - at stations	... 5.23.01
-with hot axles	... 4.29.02

V.H.F. -

Use of VHF	... 14.01.02
------------	--------------

Vigilance-

-On road by Guards.	... 4.43.02
---------------------	-------------

Violent Storms-

Precautions to guard against mishap to trains from-	... 2.11.04
--	-------------

Subject	Rule No.
W	
Wagon Doors- Closing and fastening-	
Warning- Written - to be given to defaulting Loco Pilot / Guard in case of failure of exchange of signals.	... 4.42.06
Wedges- Supply of - to Guards of trains performing shunting on ghat section.	... 5.20.01(b)(ii)
Whistle Board- -provision of	... 4.50.02
Working Instructions- Delegation of powers to issue of	... 1.02(5).01(b)
Walkie-Talkie- Use of -sets	... 14.01.03

