

EAST COAST RAILWAY

Office of the
Chief Commercial Manager
Bhubaneswar-17
Date: 19.07.2017

Commercial Circular No. 114(G) / 2017.

Sub: Revise chargeable distance for the private siding of M/s. Jindal Steel and Power Limited served by Kerejanga station.

Ref: This office Commercial Circular No. 25 (G)/2014 dtd.06.03.2014.

Chargeable distance for the traffic to/from the private siding of **M/s. Jindal Steel and Power Limited (Alpha Code – JSPK, Numerical Code -12221474)** served by Kerejanga station of Sambalpur Division was notified as Kerejanga (KPJG) + 6.1 km vide this office Commercial circular No. 25 (G)/2014 dtd.06.03.2014.

Now, with the commissioning of Bar Mill siding in the in-plant yard of M/s. Jindal Steel and Power Limited the chargeable distance of the siding is revised as **KPJG + 6.80 Km** (Six decimal Eight Zero Kilometer).

This notification shall come into force with effect from **20.07.2017**.

All concerned to note and act accordingly.

(Authority: Sr. DEN (East)/SBP's letter No. DRG/JSPL/KPJG/SBP/Pt-IV/46 dtd. 29.06.2017)

(R. N. Nayak) 19.07.17
Sr. Commercial Manager (Claims)
For Chief Commercial Manager

Date: 19.07.2017

No. CCM/Sdg/JSPL/KPJG/ Pt.-I.

Copy to:

All Station Mangers / Goods Supervisors / Commercial Supervisors / Siding Clerks / Booking Clerks in Charges / Weigh Bridge Clerks / Clerk in Charges.

Copy for information and necessary action to the:

COM & CCM: All Indian Railways, All PHOD of ECoR, SDGM /ECoR, Dy. CVO (T) /ECoR, PO-RCT/BBS, Dy. COM (FOIS) /ECoR/BBS, CAO(FOIS) / CRIS/NDLS, PDA / BBS, Dy. CCM(Claims) / ECoR, DRM, KUR, SBP, WAT. Sr. DCM & Sr. DOM / KUR, SBP, WAT. FA&CAO / ECoR, Traffic Manager / PPT & VPT, DTT(G) & JDTC(R), Rly. Board/NDLS, Executive Director / CRIS /NDLS. , Director (RM) /KOL.

SL NO. 114 (R) 17
one page

(R. N. Nayak) 19.07.17
Sr. Commercial Manager (Claims)
For Chief Commercial Manager