

EAST COAST RAILWAY

Office of the
Chief Commercial Manager
1st Floor, Rail Sadan
C.S.Pur, Bhubaneswar-17

Date: 15.07.2016

Commercial Circular No.101(G)/2016

Sub: Policy Guidelines: Transportation Products – Block Rakes, Mini Rake (covered wagons), Two Point Rake (covered wagons), Multi Point Rake (covered wagons), Two and Multi Point Rake (other than covered wagons), Rakes from Two Originating Terminals (covered wagons) and Rakes from Two Originating Terminals (other than covered wagons).

Ref: Rates Master Circular /Block Rakes/ Mini Rake/Two Point Combination etc/ 2015/0 dated 05.06.2015 and its Corrigendum No.1 to 7 circulated vide CCM/ECOR's Commercial Circular No.80(G)/2015 dated 08.06.2015 and corrigendum thereto.

A copy of Railway Board's letter No.TCR/1017/2016/01 dated 14.07.2016 (Rates Master Circular /2016 dated 14.07.2016 on Block Rakes/ Mini Rake/Two Point Combination etc) on the above subject is enclosed herewith for information and necessary action.

All concerned to note and act accordingly.

Authority: Railway Board's letter No.TCR/1017/2016/01 dated 14.07.2016 (Rates Master Circular/2016 dated 14.07.2016 on Block Rakes/Mini Rake/Two Point Combination etc).

Encl: As above (16 pages).

(R.N.Nayak)

Sr.Commercial Manager(Claims)
For Chief Commercial Manager

Date:15.07.2016

No. CCM/269/TL/Pt.V

All Station Managers/ Goods Supervisors/Commercial Supervisors /Siding Clerks / Booking Clerk in Charges / Weigh Bridge Clerks / Clerk in Charges / City Booking Agencies / Out Agencies.

Copy for information and necessary action to the:-

COM: ECoR/SER/SECR/NR/NFR/ER/SR/SCR/WR/NER/CR/SWR/NCR/NWR/WCR/ECR/KRIy. **SDGM/E** CoR/BBS, **Chairman/RCT/BBS, Dy.CVO/ECOR/BBS, Dy.COM(FOIS)/ECOR/BBS, PO/RCT/BBS, CAO(FOIS)/NDLS, Audit officer/BBS.** Rates Section /CCM/ECOR/BBS -10 sets
DRM: KUR,WAT,SBP/ECOR, **Sr.DOM-** KUR,WAT,SBP/ECOR, **CAO(FOIS), CRIS/NDLSSr.DCM** :KUR,WAT/SBP/ECOR. **Dy.CCM(Claims)/E.Co.Rly, FA & CAO:E.Co.Rly, FA & CAO(T)/ECOR/BBS**
Traffic Manager: VZP, Paradeep Port Trust / Paradeep.

Bin NO. 101(G)16
17 Pages 1

15.07.16
(R.N.Nayak)

Sr.Commercial Manager(Claims)
For Chief Commercial Manager

1

**RATES MASTER CIRCULAR /2016 dated: 14.07.2016
on BLOCK RAKES/MINI RAKE/TWO POINT COMBINATION ETC.**

भारत सरकार (GOVERNMENT OF INDIA)

रेल मंत्रालय (MINISTRY OF RAILWAYS)

रेलवे बोर्ड (RAILWAY BOARD)

No. TCR/1017/2016/01

New Delhi, dated: 14.07.2016

**General Managers,
All Zonal Railways.**

Sub: Policy Guidelines- Transportation Products - Block Rakes, Mini Rake (covered wagons), Two Point Rake (covered wagons), Multi Point Rake (covered wagons), Two and Multi Point Rake (other than covered wagons), Rakes from Two Originating Terminals (covered wagons) and Rakes from Two Originating Terminals (other than covered wagons).

Ref : Rates Master Circular/Block Rakes/Mini Rake/Two Point Combination ETC./2015/0 dated 05.06.2015 and its Corrigendum No. 1 to 7.

Guidelines for Transportation Products like Block Rakes, Mini Rake (covered wagons), Two Point Rake (covered wagons), Multi Point Rake (covered wagons), Two and Multi Point Rake (other than covered wagons), Rakes from Two Originating Terminals (covered wagons) and Rakes from Two Originating Terminals (other than covered wagons) have been notified in the terms of the above referred Rates Master Circular and Corrigenda thereto.

In supersession to above, Board have decided to issue a revised fresh Rates Master Circular on the above cited subject.

Zonal Railways may ensure that wide publicity is given to these guidelines. Steps should be taken to ensure that all concerned fully understand these guidelines and implement them correctly.

This circular will come into effect from 22.07.2016.

This issues in consultation with Traffic Transportation Directorate and with the concurrence of the Finance Directorate of the Ministry of Railways.

Lata Kumari

(Lata Kumari)
Director, Traffic Commercial (Rates)
Railway Board.

No. TCR/1017/2016/01
Copy for information: -

New Delhi, dated: 14.07.2016

1. FA & CAOs, All Indian Railways.
2. Deputy C&AG of India (Railways), New Delhi.

14/7/16

For Financial Commissioner (Railways)

*SL No. 101(G)/2016
17 page*

1
2

**RATES MASTER CIRCULAR /2016 dated: 14.07.2016
on BLOCK RAKES/MINI RAKE/TWO POINT COMBINATION ETC.**

No. TCR/1017/2016/01

New Delhi, dated: 14.07.2016

1. Chief Commercial Managers, All Indian Railways
2. Chief Operating Managers, All Indian Railways
3. Managing Director, CRIS, Chanakya Puri, New Delhi-23
4. The Chief Administrative Officer, FOIS, Northern Railway, Camp: CRIS, Chanakya Puri, New Delhi-23
5. Managing Director, Konkan Railway Corporation, Belapur Bhavan, Sector-11, CBD Belapur, New Mumbai-400614
6. Director General, National Academy of Indian Railways, Vadodara
7. Director, Institute of Rail Transport Management (IRITM), Manaknagar, Lucknow
8. GS/IRCA, New Delhi: for necessary action.

Lata Kumari

(Lata Kumari)
Director, Traffic Commercial (Rates)
Railway Board

Copy to: -

PPS to CRB, FC, MT, ME, MS, ML & MM for kind information of CRB, FC and Board Members.

PPS to AM (C), AM(T), AM (C&IS), AM (T&C), Adv (F), Adv.TT(M), Adv (Vig.) & Adv (Infra)

EDTC(R), EDTT (F), EDFM, EDPM, EDPG, EDFC, ED(C&IS), EDV (T), EDP, EDPP, EDPPP, ED (T&C), ED (S&E), ED (LRDSS), DF(C), DTC (G), DPM, Dir (T&C), DFM, DTTG, DTT (POL), DDTC(R)

TC (CR), TC-I, TC-II, TC-III, TC-IV, TC (FM), TT-I, TT-II, TT-III, TT-IV, TT-V, FC, Stat-II, Stat (CA), Stat-V, Stat (Econ.), Economic Cell and Budget branches of Railway Board.

SL No. 101(G)/2016
17 Pages

③

**RATES MASTER CIRCULAR /2016 dated: 14.07.2016
on BLOCK RAKES/MINI RAKE/TWO POINT COMBINATION ETC.**

INDEX

S.No.	Subject	Page No.
1	Introduction	4
2	Definitions	4
3	Block Rakes	5-6
4	Mini Rake (Covered wagons)	6
5	Two Point Rake(Covered wagons)	6-7
6	Multi Point Rake (Covered wagons)	7
7	Two and Multi Point Rake (Other than Covered wagons)	7-8
8	Rakes from Two Originating Terminals (Covered wagons)	8
9	Rakes from Two Originating Terminals (Other than Covered Wagons)	8-9
10	Annexure-I. (Composition of Block Rakes)	10-11
11	Annexure-II (List of Two Point Combination for other than covered stock (for Steel Traffic only).	12-13
12	Annexure-III (List of Two Point Combination for other than covered stock (for Coal Traffic only).	14
13	Annexure-IV (List of notified Two Point originating terminals (other than covered wagons)	15
14	Annexure-V (Illustration)	16

Latakumari
14/7/16

SL No. 101(G)/2016
17 Pages

(4)

RATES MASTER CIRCULAR /2016 dated: 14.07.2016
on BLOCK RAKES/MINI RAKE/TWO POINT COMBINATION ETC.

1.0 Introduction

Railways offer transport services primarily in Block Rakes. In addition, several other transportation options differentiated by the volume of consignment at varying tariff rates are also available as described below. Traffic which is not covered under any of the transportation products mentioned below will be charged at wagon load rate.

All Transportation products will be available subject to operating restriction in force from time to time.

2.0 Definitions:

Key Terms used in these policy guidelines have been defined in the following Section for precise interpretation and elimination of ambiguities. Field functionaries should interpret them exactly as defined.

1. **Block Rake:** It is a train carrying wagons for a single destination. The number of wagons constituting a Block Rake for different types of wagons is notified by Railway Board.
2. **Covered Wagons:** This term refers to BCX, BCXN, BCN, BCNA, BCNAHS, BCNHL and equivalent wagons. It does not include tank wagons.
3. **Flat Wagons:** This term refers to BRN, BRNA, BFR, BRH, BRS, BFK, BFKI, BFNS and equivalent wagons.
4. **Full Rake Terminal:** This refers to Terminals notified by Zonal Railways as full rake handling point.
5. **Half Rake Terminal:** This refers to Terminals notified by Zonal Railways as half rake handling point.
6. **Mini Rake:** This is a short rake composed of lesser number of wagons than specified for a Block Rake.
7. **Multi Point Rake:** This is a train carrying wagons destined to more than two destinations.
8. **Open Wagons:** It includes BOXN, BOXNHS, BOXNHA, BOXNCR, BOXNEL, BOXNHL, BOST, BOX and equivalent wagons. This does not include hopper wagons.
9. **Terminal:** It refers to a private siding, assisted siding, railway siding, goods shed where cargo is loaded or unloaded but does not include an Inland Container Depot or port.
10. **Transport Products:** These are various transportation options differentiated primarily by the volume of traffic and include following services.
 - (a) Block rake.
 - (b) Mini Rake. (covered wagons)
 - (c) Two point Rake. (covered wagons)
 - (d) Multi Point Rake. (covered wagons)
 - (e) Two and Multi point rake (other than covered wagons)
 - (f) Rake from Two Originating Terminals. (covered wagons)
 - (g) Rake from Two Originating Terminals (other than covered wagons).

The provisions of these products mentioned in these instructions will be automatically applicable depending on the type of service a customer chooses.

11. **Two Point Rake:** This is a freight train carrying wagons destined for two terminals.

latekumari
SL No. 101(G)/2016
17 Pages

14/7/16

5

**RATES MASTER CIRCULAR /2016 dated: 14.07.2016
on BLOCK RAKES/MINI RAKE/TWO POINT COMBINATION ETC.**

3.0 Block rakes

Single point Block Rake with a wagon composition as notified by Railway Board will be booked at Trainload Class rate in accordance with conditions noted below.

Conditions

1. Both the Originating and Destination terminal should be notified as either Full Rake Terminal or Half Rake Terminal.
2. Number of wagons indented must be applicable for standard rake size of Block Rake. The present list is at Annexure I. For all other types of wagons not specified in the annexed statement, trainload rates will be granted subject to payload in the train being a minimum of 1400 tonnes.
3. If the number of fit wagons supplied by Railways is falling in the range given in Annexure-I the party will have to load all the wagons to avail trainload rate benefit.
4. In cases where even the minimum number of wagons qualifying for Block Rake cannot be supplied by the Railway against trainload indent due to shortage of wagons, operating or any other constraint arising out of unforeseen circumstances in a specific instance such as accident, blockade etc., the rail user(s) shall not be penalized. In such cases also, the benefit of trainload rate can be extended. However, detailed reasons for non-supply of all the indented number of wagons constituting a block rake should be recorded by the concerned Station Manager/ Yard Master, who in turn should get it confirmed in writing from at least a Gazetted Officer. The modalities for implementation of this instruction will be worked out jointly by Operating, Commercial and Accounts Department of the Railway depending on local conditions.
5. In cases where the load of block rake moving over a particular section is restricted below the minimum of the standard rake size due to operational constraints such as gradient, hauling capacity etc. then conditions stipulated at the bottom of Annexure I will apply regarding standard rake size.
6. In cases where rake is split up during transit due to gradient or other operational reasons but has fulfilled all other conditions for availing trainload rate at originating point, the trainload rate benefit shall be admissible.
7. Trainload rate benefit shall be extended to block rakes at the serving station by clubbing wagons loaded from more than one siding served by the same station or loaded partly from a siding and partly from the station serving that siding for a single destination.
8. Trainload benefit shall be extended to trains originating from one point and terminating at two points provided that the two points are either the serving station and its siding or two sidings of the same serving station, or two sidings notified as independent booking points but operationally branched out from the same station.
9. For rake loaded with two or more commodities, the required number of total wagons as per Annexure I should be loaded with. In case more than one commodity is loaded in a wagon, freight will be

Lata Kumari

14/7/16

5
⑥

SL No. 101(G)/2016

17 Pages

**RATES MASTER CIRCULAR /2016 dated: 14.07.2016
on BLOCK RAKES/MINI RAKE/TWO POINT COMBINATION ETC.**

charged at the higher class rate of the goods which the wagon contains. Maximum number of commodities loaded in wagons should not exceed two.

10. Indents for BCN groups of wagons and BCNHL wagons will be treated as interchangeable for the purpose of supply of rakes. Trainload rate conditions will be applicable as per type of stock supplied. The customer must place an indent for 42 BCN/58 BCNHL wagons.
11. Indents for BOST and BRN/BRNA/BRNAHS/BFNS wagons will be treated as interchangeable for the purpose of supply of rakes. However, Trainload rate conditions will be applicable as per type of stock supplied.
12. This product is applicable on all types of wagons and systems (BG, MG) subject to compliance of all conditions mentioned hereinabove.
13. The customer will have to pay all other applicable charges like busy season charge, congestion charge, development charge, etc.

4.0 Mini Rake (Covered wagons)

Mini Rakes can be loaded at Trainload Class rate under the following conditions.

Conditions

1. Mini Rakes are permitted only in Covered wagons.
2. Mini Rakes will have a minimum composition of twenty wagons.
3. Mini Rakes can be loaded to and from any notified full or half rake terminal.
4. Free time for loading/unloading of Mini Rakes will be 5 hours.
5. Mini Rakes can be loaded only for distances up to 600* km.
6. Mini Rakes cannot be loaded with Coal, Ores and RMSP.
7. A Supplementary charge of 5% will be levied on base Freight Rates for Mini Rakes for the period October to June.

(* Valid up to 14.03.2017 Corrigendum No. 5 to Rates Master Circular/Block Rakes/Mini Rake/Two Point Combination/etc/2015/0 dated 15.03.2016)

5.0 Two Point Rake (Covered wagons)

Any Two Point Rakes can be loaded at Trainload Class rate under the following conditions:

Conditions

1. This product is available only for Covered wagons.*
2. Originating terminal should be a notified full or half rake terminal.
3. Both destination terminals should be a notified full or half rake terminal.
4. Destination terminals should not be more than 400 KM apart in lean season and 200 KM apart in peak season.
5. A minimum of 10 wagons should be loaded for each destination.
6. The total number of wagons indented and loaded must conform to the Block Rake composition as notified for various types of wagon by the Railway

SL No. 101(G)/2016
17 pages

Lata Kumari

14/7/16

76

**RATES MASTER CIRCULAR /2016 dated: 14.07.2016
on BLOCK RAKES/MINI RAKE/TWO POINT COMBINATION ETC.**

Board.

7. A Supplementary charge of 5% will be levied on Base Freight Rates for two-point rake for the period October to June.
8. CRIS may make suitable amendment in the FOIS software.

(* Valid up to 14.03.2017 Corrigendum No. 5 to Rates Master Circular/Block Rakes/Mini Rake/Two Point Combination/etc/2015/0 dated 15.03.2016)

6.0 Multi Point Rake (Covered wagons)

Any Multi Point Rakes can be loaded at Trainload Class rate under the following conditions:

Conditions

1. This product is available only for Covered wagons.*
2. Originating terminal should be a notified full or half rake terminal.
3. Each destination terminal should be a notified full or half rake terminal.
4. No two destination terminals can be more than 200 KM apart.
5. A minimum of 10 wagons should be loaded for each destination.
6. The total number of wagons indented and loaded must conform to the Block Rake composition as notified for various types of wagon by the Railway Board.
7. A Supplementary charge of 20% will be levied on Base Freight Rates for multi point rakes for the period October to June.

(* Valid up to 14.03.2017 Corrigendum No. 5 to Rates Master Circular/Block Rakes/Mini Rake/Two Point Combination/etc/2015/0 dated 15.03.2016)

7.0 Two and Multi Point Rake (Other than Covered Wagons)

Two and Multi Point Rakes for other than Covered wagons can be loaded at Trainload Class rate under the following conditions.

Conditions

1. Originating terminal should be a notified full or half rake terminal.
2. Each destination terminal should be a notified full or half rake terminal.
3. Notified Two Point or Multi Point combinations for other than covered wagons, if any, are at Annexure-II & III.
4. A minimum of 10 wagons should be loaded for each destination.
5. The total number of wagons indented and loaded must conform to the Block Rake composition as notified for various types of wagon by the Railway Board.
6. For the period October to June, a Supplementary charge of 5% on two point rakes and 20% on multi point rakes will be levied on Base Freight Rates.

Latakumari

14/7/16

SL No. 101(G)/2016

17 Pages

(8)

**RATES MASTER CIRCULAR /2016 dated: 14.07.2016
on BLOCK RAKES/mini rake/two point combination etc.**

The loading of two point CONCORD rakes (for steel traffic only) in any combination of BRN/BOST/BFNS wagons is permitted for any two point combinations within the same Zonal Railways for availing trainload rate benefit.

8.0 Rakes from Two Originating Terminals (Covered wagons)

Rakes from two Originating Terminals can be loaded at Trainload Class rate under the following conditions.

Conditions

1. This product is available only for Covered wagons from notified/specified terminals.
2. Two Point combination from which loading is permitted will be notified by the Zonal Railways concerned.
3. In case the two terminals are on different Railways, the Railway issuing notification will take recorded prior consent of the concerned Railway.
4. Each Originating terminal should be a notified full or half rake terminal.
5. The destination terminal should be a notified full or half rake terminal.
6. Loading of rakes from two terminals can be done only if the two loading terminals are less than 200 KM apart.
7. A minimum of 10 wagons should be loaded from each originating terminal.
8. The total number of wagons indented and loaded must conform to the Block Rake composition as notified for various types of wagon by the Railway Board.
9. The customer cannot cancel indent at one point after he has started loading at the other point. If he does so, the entire freight will be charged irrespective of loading only one portion of traffic.
10. For the period October to June, a Supplementary charge of 5% on two point rakes will be levied on Base Freight Rates.

9.0 Rakes from Two Originating Terminals (Other than Covered wagons)

Rakes from two Originating Terminals in other than covered wagons can be loaded at Trainload Class rate under the following conditions.

Conditions

1. Notified Two Point combinations from which loading is permitted, are at Annexure- IV.
2. Each originating terminal should be a notified full or half rake terminal.
3. The destination terminal should be a notified full or half rake terminal.
4. A minimum of 10 wagons should be loaded from each originating terminal.

latekumari
SL No. 101(G)/2016 14/7/16
17

9

11

RATES MASTER CIRCULAR/2016 dated: 14.07.2016
on BLOCK RAKES/ MINI RAKE/TWO POINT COMBINATION ETC.

5. The total number of wagons indented and loaded must conform to the Block Rake composition as notified for various types of wagon by the Railway Board.
6. The customer cannot cancel indent at one point after he has started loading at the other point. If he does so, the entire freight will be charged irrespective of loading only one portion of traffic.
7. For the period October to June, a Supplementary charge of 5% on these rakes will be levied on Base Freight Rates.

latekumari

14/7/16

12

SL No. 101(G) / 2016

17 pages

10

**RATES MASTER CIRCULAR /2016 dated: 14.07.2016
on BLOCK RAKES/MINI RAKE/TWO POINT COMBINATION ETC.**

Annexure I

COMPOSITION OF BLOCK RAKES

S.N	Type of wagons	Standard Rake Size	Minimum number of wagons to be loaded
OPEN wagons			
1.	BOXN/BOXNHS,BOSNHSM1,BOXNHA,BOXNEL,BOXNLW,BOXNM1	59	58*
2.	BOXNHL	58	57
3.	BOX	35	30
4.	BOST	45	43
5.	BKCX	32	30
6.	BOY/BOYN,BOYEL	53	50
HOPPER WAGONS			
7.	BOBR	53	50
8.	BOBRN	59	56
9.	BOBRNHS	59	57
10.	BOB,BOBC,BOBX,BOXK,BOBS	40	40
11.	BOBSN,BOBSNM1,BOBY/BOBYN	53	48**
12.	BOBYNHS	54	52
FLAT WAGONS			
13.	BRN/BRNA/BRNAHS/BFNS	43	41
14.	BRH/BRS	35	30
15.	BRHNEHS	42	40
16.	BFR/BFK/BFKI	35	30
COVERED WAGONS			
17.	BCN/BCXN*****	41	39
18.	BCNA/BCNAHS*****	42	40
19.	BCNHL	58	57
20.	BCX	40	35
21.	BCCN	30	29
22.	BCFC	59	58
23.	NMG	25	24
TANK WAGONS			
24.	BTPN	50	49
25.	BTFLN	48	46
26.	BTAP	51	49
27.	BTCS	59	57
28.	BTPH	48	46
29.	BTAL	35	32
30.	BCCW(Bulk Cement)	58	56
31.	BTPGLN/BTPG	32	30
32.	Tank Wagons(4 wheeler)@	72	68
33.	Tank Wagon-TG Type(4 wheeler)	64	62
34.	Mixed Rakes(BG)		
(a)	BOXN & BOYN	55	55 (minimum 15 of each type)
	BOX & BFR/BRH***	35	30 (minimum 10 of each type)
	BOXN+	45	40 (minimum 10 of

SL No. 101(G)/2016
17 pages
Lata Kumari
14/7/16

11

**RATES MASTER CIRCULAR /2016 dated: 14.07.2016
on BLOCK RAKES/MINI RAKE/TWO POINT COMBINATION ETC.**

	BRN/BRNA/BRNAHS/BOST/BFNS****		each type and maximum 20 of BOXN wagons)
(b)	BOST+ BRN/BRNA/BRNAHS/BFNS*****	43	41 (minimum 10 of each type)
	BCN/BCNA/BCNAHS/BCXN*****	41	38
	BTPN & BTCS	55	(BTPN wagons will not be more than 25 wagons)
(c)	Carriage of 260 meters long Rail in 5 tiers@ EUR Rake		
	BRN/BRNA/BRNAHS wagons with special fixtures;	36	-
	BCN (or its variant)	1	-
	BRN/BRNA/BRNAHS wagons having Ramper/Threader/Chute arrangement	6	-
35.	Meter Gauge Wagons		
	(i) MG to MG		34 (in terms of 4 wheelers)
	(ii) MG to BG		90 (in terms of 4 wheelers)

Note: * BOXN in Kulem-Castle Rock section 54 wagons permitted for trainload class rate
 ** The minimum number of wagons for Dalli Rajhara – Bhilai section will be 45 wagons.
 *** BFR and BRH wagons may be treated as one type and BOX as another type for reckoning the minimum 10 number of each type.
 **** BRN, BRNA, BRNAHS, BFNS and BOST may be treated as one type and BOXN as other type for reckoning the minimum 10 number of each type.
 ***** BRN, BRNA, BRNAHS and BFNS may be treated as one type and BOST as other type for reckoning the minimum 10 number of each type.
 ***** Indents for Block Rake of BCN/BCNA/BCNAHS/BCXN will be accepted for 42 wagons (eight wheelers) against which empty rakes of any type of these types or a combination of these types of wagons will be supplied in terms of the standard rake size of these wagons.
 @ For TNPM siding of IOC, standard rake size of tank wagons (4 wheeler) is 65 wagons and minimum number of wagons required to be loaded for availing trainload rate benefit is 64 wagons.
 @@ In the rake composition, BRN wagons shall be charged at respective PCC for class of commodity being carried. BCN (or its variant) shall be charged as Dummy Wagon at the rates notified from time to time. A Supplementary Charge of 5% on Base Freight Rate shall be levied for above rake composition. (Please refer to Corrigendum dated 12.08.2015 and dated 19.02.2016. Valid up to 19.02.2017).

Katekumari
 14/7/16

SL No. 101(G)/2016
 17 pages

12

**RATES MASTER CIRCULAR /2016 dated: 14.07.2016
on BLOCK RAKES/MINI RAKE/TWO POINT COMBINATION ETC.**

Annexure-II

**TWO POINT COMBINATION FOR OTHER THAN COVERED STOCK
(FOR STEEL TRAFFIC ONLY)**

S.No.	POINT I	STATION NAME	POINT II	STATION NAME
CENTRAL RAILWAY				
1	KSAG	KALAMBOLI EXCHANGE YARD	KLMG	KALAMBOLI GOODS YARD
2	KSAG	KALAMBOLI EXCHANGE YARD	KYN	KALYAN
3	KLMG	KALAMBOLI GOODS YARD	KYN	KALYAN
EASTERN RAILWAY				
1	BLN	BALLYGUNGE J.	DOCK	K.P. DOCK
2	JOX	JANAI ROAD	DKAE	DANKUNI
3	BLH	BELGHARIA	TGH	TITAGARH
EAST CENTRAL RAILWAY				
1	DNR	DANAPUR	FUT	FATUHA
EAST COAST RAILWAY				
1	VZP	VISHAKHAPATNAM PORT	VNCW	VISHAKHAPATNAM NEW GOODS COMPLEX
2	VZP	VISHAKHAPATNAM PORT	VSPS	VIZAG STEEL PLANTS
NORTHERN RAILWAY				
1	BGZ	BAHADURGARH	GZB	GHAZIABAD
2	BHD	BADLI	GZB	GHAZIABAD
3	BVH	BALLABGARH	GZB	GHAZIABAD
4	BVH	BALLABGARH	TKD	TUGHALAKABAD
5	DDL	DHANDARI KALAN	GVG	MANDI GOVIND GARH
6	DDL	DHANDARI KALAN	HSQ	HUSAINPUR
7	DDL	DHANDARI KALAN	JUC	JULLANDHAR CANTT
8	DDL	DHANDARI KALAN	SRX	SURANUSSAI
9	FDB	FARIDABAD	BHD	BADLI
10	FDB	FARIDABAD	GZB	GHAZIABAD
11	FDB	FARIDABAD	TKD	TUGALKABAD
12	GUH	GULDHAR	GZB	GHAZIABAD
13	GZB	GHAZIABAD	TKD	TUGHALKABAD
14	SRX	SURANUSSI	GVG	MANDI GOVINDGARH
15	SRX	SURANUSSI	HSQ	HUSAINPUR
16	SRX	SURANUSSI	JAT	JAMMU TAWI
17	SRX	SURANUSSI	JUC	JALANDHAR CITY
18	TIST	TUGALAKABAD TATA SIDING	FDSG	FARIDABAD NEW TOWN FDSG IRON & STEEL SDG.
19	TKD	TUGALAKABAD	GUH	GULDHAR
20	TKD	TUGALAKABAD	OKA	OKHLA
SOUTH WESTERN RAILWAY				
NIL				
WEST CENTRAL RAILWAY				
1	BTE	BHARATPUR	KTT	KOTA
2	NSZ	NISHATPUR	MDDP	MANDI DIP

latekumari
SL No. 101 (G) / 2016
17 Page

18
13

**RATES MASTER CIRCULAR /2016 dated: 14.07.2016
on BLOCK RAKES/MINI RAKE/TWO POINT COMBINATION ETC.**

S.No.	POINT I	STATION NAME	POINT II	STATION NAME
NORTH CENTRAL RAILWAY				
1	GWL	GWALIOR	JHS	JHANSI
2	CPC	KANPUR GOODS SHED	NYN	NAINI
3	CPC	KANPUR GOODS SHED	PNK	PANKI
4	PNK	PANKI	NYN	NAINI
5	JAB	YAMUNA BRIDGE	BTE	BHARATPUR
6	JAB	YAMUNA BRIDGE	GWL	GWALIOR
SOUTHERN RAILWAY				
1	AVD	AVADI	PWO	PERAMBUR WORKS
2	AVD	AVADI	KOKG	KORUKKUPET GOODS SHED
3	CHTS	COCHIN HARBOUR TERMINUS	KLMR	KALAMASSERI
4	PLMD	PILAMEDU	KLMR	KALAMASSERI
5	PWO	PERMABUR WORKS	KOKG	KORUKKUPET GOODS SHED
6	TI	TIRUNINARAVUR	KOKG	KORUKKUPET GOODS SHED
7	TI	TIRUNINARAVUR	AVD	AVADI
8	TNP	TONDIARPET	KOKG	KORUKKUPET GOODS SHED
9	TNP	TONDIARPET	PWO	PERAMBUR WORKS
10	TNP	TONDIARPET	AVD	AVADI
11	TPGY	TIRUCHIRAPPALLI GOODS	GOC (B)	PONAMALAI (GOLDEN ROCK) BHEL
12	TVT	TIRUVOTTITUR	AVD	AVADI
13	TVT	TIRUVOTTIYUR	KOKG	KORUKKUPET GOODS SHED
14	TVT	TIRUVOTTIYUR	PWO	PERAMBUR WORKS
SOUTH CENTRAL RAILWAY				
1	NPL	NAGALAPALLE (SAIL SIDING)	SNAG	SANATNAGAR NEW GOODS COMPLEX
2	SAIN	SAIL SIDING, NAGULAPALLI	SNAG	SANATNAGAR NEW GOODS COMPLEX
SOUTH EASTERN RAILWAY				
1	SHM	SHALIMAR	SHLM	SIBPORECHAR
2	BNDM	BONDAMUNDA JN.	ROU	ROURKELA
3	SHM	SHALIMAR	SRC	SANTRAGACHI
SOUTH EAST CENTRAL RAILWAY				
1	KAV	KALUMNA	ITR	ITWARI
2	BIA	BHILAI JN.	BSPC	BHILAI STEEL PLANT CITY
3	BIA	BHILAI JN.	RSD	RAIPUR STORE DEPOT SDG
4	ITR	ITWARI	BTBR	BUTIBORI
5	KAV	KALAMNA JN.	BTBR	BUTIBORI
6	KAV	KALAMNA	BSPC	BHILAI STEEL PLANT CITY
WESTERN RAILWAY				
1	BRCY	VADODARA MARSHALLING YARD	KHD	KHODIYAR, (SAIL STOCK YARD)
2	BRCY	VARODARA MARSHALLING YARD	KKF	KANKARIA
3	BH	BHARUCH	BRCY	VADODARA MARSHALLING YARD
4	KHD	KHODIYAR, (SAIL STOCK YARD)	KKF	KANKARIA

SL No. 101(G)/2016
17 Pages

latakumari

14/7/16

(14)

**RATES MASTER CIRCULAR /2016 dated: 14.07.2016
on BLOCK RAKES/MINI RAKE/TWO POINT COMBINATION ETC.**

Annexure-III

**TWO POINT COMBINATION FOR OTHER THAN COVERED STOCK (FOR
COAL TRAFFIC ONLY)**

S.No.	Terminal-1	Terminal-2
1.	HLSG Babupeth HLC Sdg	RCXG Chanda Rayatwari
2.	WANI Wani	RAJR Rajur
3.	JJSG JNO Palachori Sdg	RKSG Parasia BG Sdg.
4.	RKSG Parasia BG Sdg	DCSG Parasia EDC Sdg.
5.	JJSG JNO Palachori Sdg	DCSG Parasia EDC Sdg.
6.	HRG Hirdagarh	HNWG Nandan Washery Sdg
7.	HRG Hirdagarh	JJSG JNO Palachori Sdg

latakumari

14/7/16

*SL No. 101(G)/2016
17 Pages*

15

Annexure-IV

List of notified two point originating terminals (other than covered wagons)

NIL

lata kumari

14/7/16


SL No. 101(G)/2016
17 Pages

(16)

**RATES MASTER CIRCULAR /2016 dated: 14.07.2016
on BLOCK RAKES/MINI RAKE/TWO POINT COMBINATION ETC.**

Annexure-V


Illustration-I



If 40 BCNs are booked from point 'A' with 25 BCNs destined for point 'B' and 15 BCNs for point 'C', the freight would be worked out as under:

- (a) Calculate the freight at trainload class for 25 BCNs from point 'A' to point 'B'.
- (b) Calculate the freight at trainload class for 15 BCNs from point 'A' to point 'C'.
- (c) Total freight = (a) + (b).

Illustration-II



If 25 BCNs are booked from point 'A' and 15 BCNs are booked from point 'B' and are combined to form full rake at point 'C' and move up to point 'D', the freight would be worked out as under:

- (a) Calculate the freight at trainload class for 25 BCNs from point 'A' to point 'D'.
- (b) Calculate the freight at trainload class for 15 BCNs from point 'B' to point 'D'.
- (c) Total freight = (a) + (b).

Illustration-III



If 25 BCNs are booked from point 'A' and 15 BCNs are booked from point 'B' and two parts of the rake are combined at point 'B' which is moved up to the destination point 'C', then the freight would be worked out as under:

- (a) Calculate the freight at trainload class for 25 BCNs from point 'A' to point 'C'.
- (b) Calculate the freight at trainload class for 15 BCNs from point 'B' to point 'C'.
- (c) Total freight = (a) + (b).

The freight for a two point rake from point 'C' to two points 'B' and 'A', in the reverse direction, will be calculated at trainload class in the same manner as given above.

latekumari
SL No. 101(G)/2016/4/16
17 Pages