

EAST COAST RAILWAY

Office of the
Principal Chief Commercial Manager
Bhubaneswar-17


Date 23.10.2018

Commercial Circular No.202 (G) / 2018.

Sub: Opening of M/s. IOCL Pet Coke siding, Paradeep.

1. It is hereby notified that M/s. IOCL Pet Coke siding (Alpha Code: **IPCP** & Numerical Code: **12121070**) served by Paradeep station over KUR Division is temporarily open as a full rake handling point for **outward traffic of Pet Coke only**.
2. This notification shall **remain valid for a period of six months i.e. up to 22/04/2019**
3. The distance for the traffic booked from the siding shall be reckoned from the serving station Paradeep.
4. For placement of rakes from Paradeep station to IPCP and drawing out of rakes from IPCP to Paradeep station, necessary shunting charges shall be levied on actual basis for the type and number of Railway engine utilized & shunting time involved, as per "All India Engine Hour Cost" notified from time to time. The shunting charges shall be collected locally. Station Manager, Paradeep will maintain details of type and number of Railway engines used and actual time of deployment for placement / drawn out of rakes to / from the IPCP for calculation and collection of shunting charges.

All concerned to note and act accordingly.


(H. L. Luwang)

Dy. Chief Commercial Manager (FS)

Date 23.10.2018

No. CCM/Sdg/IOCL/Refinery/PRDP/ Pt.-I.

Copy to:

All Station Mangers / Goods Supervisors / Commercial Supervisors / Siding Clerks / Booking Clerks in Charges / Weigh Bridge Clerks / Clerk in Charges.

Copy for information and necessary action to the:

PCOM & PCCM: All Indian Railways, All PHOD of ECoR, SDGM /ECoR, PO-RCT/BBS, Dy. COM (FOIS) /ECoR/BBS, CAO(FOIS) / CRIS/NDLS, PDA / BBS, Dy. CCM (Claims), / ECoR, DRM, KUR,SBP,WAT. Sr. DCM & Sr. DOM / KUR, SBP, WAT. PFA / ECoR, Traffic Manager / PPT & VPT, DTT(G) & JDTC(R), Rly. Board/NDLS, Executive Director / CRIS /NDLS. , Director (RM) / KOL.

SL NO. 202 (G) 18
on page


(H. L. Luwang)

Dy. Chief Commercial Manager (FS)