

East Coast Railway.

Office of the
Pr. Chief Signal & Telecom Engineer,
Bhubaneswar.

No. ECoR/S&T/BBS/SNW/1947

Dt : 17.07.2020

To

The Sr.DSTE-KUR, SBP and WAT,
East Coast Railway.

- Sub: Corrigendum-2 to "Similar Nature of work for Signalling and Telecommunication works" of East Coast Railway circulated vide this office letter No. ECoR/S&T/BBS/SNW/ 1424, Dt. 05.10.2012.
- Ref: Sr.DSTE/KUR's office letter No. ECoR/S&T/KUR/Similar nature , dt 16.07.2020.

In continuation to this office letter No. ECoR/S&T/BBS/SNW/ 1424, Dt. 05.10.2012 additional item related to maintenance of Signalling and Telecom assets for newly constructed stations is approved by PCSTE for inclusion in the said list.

Sl No.	Name of the work	Definition of Similar Nature of work
1	Maintenance of Signalling and Telecom assets	Any signaling work - involving indoor and / or outdoor works of S&T installation.

This change needs to take place with immediate effect. This will have no bearing on the tenders approved / floated /opened prior to this issue.

If any work proposed to be executed does not fall in the above category, specific approval of PHOD/CHOD for "Similar nature of work " for inclusion in qualification criteria on case to case basis should be obtained.

(S.P.Kanungo)
Dy.CSTE/Signal
For PCSTE/ECoR

Copy to : Sr.System Manager /IT for information and updating in ECoR Portal.

Dy.CSTE/Signal
For PCSTE/ECoR