

**EAST COAST RAILWAY**

SL. No. **46 (G) / 04**  
Circular Letter No. : CCM / 194 (C) / RQ / Pt. I.

Office of the  
Chief Commercial Manager  
Rail Vihar , Chandrasekhar Pur  
Bhubaneswar  
Dt. 05. 05. 2004

To  
All Station Managers / Goods Supervisors / Commercial Supervisors / Siding Clerks / Booking clerk in charge / Weigh Bridge Clerks / Clerk in charges / City Booking Agencies / Out Agencies .  
Copy for information and necessary action to the:  
COM/E.Co.Rly/S.E.RLY/SEC.RLY/N.RLY/NF.RLY/E.RLY/S.RLY/SC.RLY/W.RLY/NE.RLY/  
C.RLY/SW.RLY/NC.RLY/NW.RLY/SW.RLY/EC.RLY.  
CCM /E.Co.Rly/S.E.RLY/SEC.RLY/N.RLY/NF.RLY/E.RLY/S.RLY/SC.RLY/W.RLY/NE.RLY/  
C.RLY/SW.RLY/NC.RLY/NW.RLY/SW.RLY/EC.RLY. DRM/E.Co.Rly/KUR/WAT/SBP,  
Sr.DOM/E.Co.Rly/KUR/WAT/SBP, Sr.DCM/E.Co.RLY/KUR/WAT, DCM / SBP  
CCO,Dy.CCM(Claims) / E.Co.Rly / S.E.Rly/14 Strand Road, 11<sup>th</sup> Floor, Kolkata-1.  
CME, E.Co.Rly/S.E.RLY/SEC.RLY/N.RLY/NF.RLY/E.RLY/S.RLY/SC.RLY/W.RLY/NE.RLY/  
C.RLY/SW.RLY/NC.RLY/NW.RLY/SW.RLY/EC.RLY  
FA&CAO/E.Co.Rly . CAO(TA),SAO(TA-1),AAO(C&G)/E.Co.Rly,C.S.Pur.  
ACM(REFUND),E. Co. Rly/BBS,DOCK Manager, CPT Railway/Kolkata,  
Traffic Manager,CPT Rly/Kolkata, VSKP Port/VSKP, Paradee port/Paradeep,HaldiaPort/Haldia,  
COM/Konkan Rly,CONCOR,IISCO House, 50 Jawaharlal Nehru Road,Kolkata.  
Executive Director,CRIS,Chanakyapuri,N.Delhi-110021.

**Sub: Siding charges on train loads ( freight trains ) running through from and to private sidings / Exchange Yards .**

The following are the sidings which have the facilities of handling full trainloads and where the freight trains directly enter into / exit from the periphery / exchange yard of the sidings without being terminated / originated at their respective serving stations . As per Board's directives no siding charges for trains to / from these sidings will be levied . However Freight charges should be levied on the through distance arrived at by reckoning the chargeable distance as shown against each of them with the distances from / to the serving station . Other conditions as notified in South Eastern Railway's office circular No. RG. 47 / 2202 / 13 dt. 06.06.2002 circulated under Serial No. 47(G) / 2001 will remain unaltered .

Sr. No.	Name of the sidings	Serving station	Chargeable distance from the serving station
1	Lajkura Open Cast Mines III	BPH	BPH + 7 Kms
2	Belpahar Open Cast Mines I & II	BPH	BPH + 14 Kms
3	Belpahar Open Cast Mines III	BPH	BPH + 14 Kms

If there is any shunting inside the siding apart from changing of ends of the engine and the brakevan , shunting charges will be levied on the basis of train engine hour cost and the same will be collected at the time of booking showing in the RR itself .

This has effect from 01.12.2003 (First day of December Two Thousand Three ) .

All concerned to note and act accordingly .

Authority : Rates circular - 7 (G)/2003 / 3083 / CCM / SECR / BSP dt.25.11.2003

SL no. 46 (G) / 04  
1 page  
500 sheets.

*[Signature]*  
For Chief Commercial Manager

*Compared  
re  
05/05/04*